

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : NERTA ATC 400
 UFI : 6MSR-6AWN-E00W-Q9QQ
 Product code : ENT-120525
 Type of product : Acidic cleaner, Cleaning product, Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use
 Use of the substance/mixture : Cleaning/washing agents and additives

Title	Life cycle stage	Use descriptors
	Industrial, Professional	PC35, PROC7, PROC8a, PROC8b, PROC10, PROC11, ERC8a, ERC8d

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

ENTACO NV
 Bouwstraat 20
 B-9160 Lokeren
 Belgique-België
 T 32 9 340 60 60, F 32 9 340 60 61
info@nerta.com, www.nerta.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3 H301
 Acute toxicity (dermal), Category 2 H310
 Skin corrosion/irritation, Category 1 H314
 Serious eye damage/eye irritation, Category 1 H318
 Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

Fatal in contact with skin. Toxic if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS06

Signal word (CLP)

: Danger

Contains

: sulphuric acid; phosphoric acid; hydrofluoric acid ; Fatty alcohol ethoxylated

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H301 - Toxic if swallowed. H310 - Fatal in contact with skin. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P260 - Do not breathe fume, mist, gas, spray, vapours. P280 - Wear protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	sulphuric acid (7664-93-9), phosphoric acid (7664-38-2), hydrofluoric acid (7664-39-3), Fatty alcohol ethoxylated (68439-50-9)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	sulphuric acid (7664-93-9), phosphoric acid (7664-38-2), hydrofluoric acid (7664-39-3), Fatty alcohol ethoxylated (68439-50-9)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	sulphuric acid (7664-93-9), hydrofluoric acid (7664-39-3), Fatty alcohol ethoxylated (68439-50-9)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phosphoric acid substance with a Community workplace exposure limit	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	10 – 20	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
sulphuric acid substance with a Community workplace exposure limit	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	10 – 20	Skin Corr. 1A, H314 Eye Dam. 1, H318
hydrofluoric acid substance with a Community workplace exposure limit	CAS-No.: 7664-39-3 EC-No.: 231-634-8 EC Index-No.: 009-003-00-1 REACH-no: 01-2119458860-33	1 – 5	Acute Tox. 2 (Inhalation), H330 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Oral), H300 Skin Corr. 1A, H314

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fatty alcohol ethoxylated	CAS-No.: 68439-50-9	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
phosphoric acid	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	(10 ≤ C < 25) Skin Irrit. 2; H315 (10 ≤ C < 25) Eye Irrit. 2; H319 (25 ≤ C < 100) Skin Corr. 1B; H314
sulphuric acid	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	(5 ≤ C < 15) Skin Irrit. 2; H315 (5 ≤ C < 15) Eye Irrit. 2; H319 (15 ≤ C < 100) Skin Corr. 1A; H314
hydrofluoric acid	CAS-No.: 7664-39-3 EC-No.: 231-634-8 EC Index-No.: 009-003-00-1 REACH-no: 01-2119458860-33	(0.1 ≤ C < 1) Eye Irrit. 2; H319 (1 ≤ C < 7) Skin Corr. 1B; H314 (7 ≤ C < 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a doctor immediately, even if there are no immediate symptoms. First aid personnel must use Personal Protection Measures as indicated in section 7. . REMARK: the effect of HF and the emerging of pain can occur, particularly in case of diluted concentrations, up to 24 hours after exposure. It is important that the employees inside and outside the workplace have access to an antidote (Calcium gluconate) and can apply this as soon as possible. Inform the employee that in case of splashes in the eyes no gel should be applied and that a physician should be consulted.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Induce artificial respiration with mask fitted with one-way valve or other suitable device; not mouth-to-mouth. Call a physician.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Call a physician immediately. Rinse skin with water/shower. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into the affected area for 1.5 hours or until further medical care is available.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a physician immediately. Do not induce vomiting.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. The material produces irritation of the respiratory system in a substantial number of individuals following inhalation.
Symptoms/effects after skin contact	: Fatal in contact with skin. Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Toxic if swallowed. Burns.

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Chronic symptoms	: Hydrogen fluoride easily penetrates the skin and causes destruction and corrosion of the bone and underlying tissue. Ingestion causes severe pains and burns in the mouth and throat and blood calcium levels are dangerously reduced. Symptoms include spasm and twitching of the muscles, high fever, convulsions and general extreme pain. Inhalation may cause corrosion of the throat, nose and lungs, leading to severe inflammation and lung swelling.
------------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Seek immediate medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up. Keep out of direct sunlight.
Packaging materials	: Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

sulphuric acid (7664-93-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphuric acid (mist)
IOEL TWA	0.05 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
phosphoric acid (7664-38-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Orthophosphoric acid
IOEL TWA	1 mg/m ³
IOEL STEL	2 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
hydrofluoric acid (7664-39-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen fluoride
IOEL TWA	1.5 mg/m ³
	1.8 ppm
IOEL STEL	2.5 mg/m ³
	3 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
EU - Biological Limit Value (BLV)	
Local name	Hydrogen fluoride
BLV	8 mg/l Parameter: F - Medium: urine - Sampling time: end of shift
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Protective clothing. Gloves. Face shield.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses. Use eye protection according to EN 166, designed to protect against liquid splashes. ISO 16321-1. Chemical goggles or face shield

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent). ISO 374-1

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In case of insufficient ventilation, wear suitable respiratory equipment. Suitable respiratory equipment : B" (EN 141)"

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: ≈ 1.6
pH solution concentration	: 1 %
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.21

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Toxic if swallowed.
Acute toxicity (dermal) : Fatal in contact with skin.
Acute toxicity (inhalation) : Not classified

NERTA ATC 400	
ATE CLP (oral)	142.993 mg/kg bodyweight
ATE CLP (dermal)	144.86 mg/kg bodyweight
sulphuric acid (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990
LD50 oral	2140 mg/kg bodyweight
LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l
phosphoric acid (7664-38-2)	
LD50 oral rat	2600 mg/kg
LD50 oral	1530 mg/kg bodyweight
LD50 dermal rabbit	2740 mg/kg
LD50 dermal	2740 mg/kg bodyweight
LC50 Inhalation - Rat	3.846 mg/l

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric acid (7664-39-3)	
LC50 Inhalation - Rat [ppm]	850 – 1070 ppm
Fatty alcohol ethoxylated (68439-50-9)	
LD50 oral rat	300 – 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: ≈ 1.6
sulphuric acid (7664-93-9)	
pH	1 – 1.3
Fatty alcohol ethoxylated (68439-50-9)	
pH	≈ 6
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 1.6
sulphuric acid (7664-93-9)	
pH	1 – 1.3
Fatty alcohol ethoxylated (68439-50-9)	
pH	≈ 6
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
phosphoric acid (7664-38-2)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Fatty alcohol ethoxylated (68439-50-9)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified
phosphoric acid (7664-38-2)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sulphuric acid (7664-93-9)	
LC50 - Fish [1]	> 16 mg/l
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.15 mg/l Test organisms (species): other:
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis Duration: '213 d'

phosphoric acid (7664-38-2)	
LC50 - Fish [1]	98 – 106 mg/l Lepomis macrochirus
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic crustacea	56 mg/l
NOEC chronic algae	100 mg/l Desmodesmus subspicatus

hydrofluoric acid (7664-39-3)	
LC50 - Fish [1]	51 mg/l Test organisms (species): other:
LC50 - Fish [2]	165 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	97 mg/l
EC50 96h - Algae [1]	43 mg/l
NOEC (chronic)	14.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Fatty alcohol ethoxylated (68439-50-9)	
LC50 - Fish [1]	1 – 10 ml/l
EC50 - Crustacea [1]	1 – 10 ml/l
EC50 72h - Algae [1]	> 0 (1 – 10) mg/l
NOEC chronic algae	0.1 – 1 ml/l

12.2. Persistence and degradability

NERTA ATC 400	
Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Contained surfactants are over 90 % biodegradable. Product is biodegradable.

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sulphuric acid (7664-93-9)	
Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer, Contained surfactants are over 90 % biodegradable, Product is biodegradable.

phosphoric acid (7664-38-2)	
Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer, Contained surfactants are over 90 % biodegradable, Product is biodegradable.

hydrofluoric acid (7664-39-3)	
Persistence and degradability	Rapidly degradable

Fatty alcohol ethoxylated (68439-50-9)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

sulphuric acid (7664-93-9)	
Partition coefficient n-octanol/water (Log Pow)	-2.2
Bioaccumulative potential	not bioaccumulable. Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

phosphoric acid (7664-38-2)	
Partition coefficient n-octanol/water (Log Pow)	-0.77

Fatty alcohol ethoxylated (68439-50-9)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

sulphuric acid (7664-93-9)	
Ecology - soil	Avoid undiluted product to come into sewer or superficial water.

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	sulphuric acid (7664-93-9), phosphoric acid (7664-38-2), hydrofluoric acid (7664-39-3), Fatty alcohol ethoxylated (68439-50-9)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	sulphuric acid (7664-93-9), phosphoric acid (7664-38-2), hydrofluoric acid (7664-39-3), Fatty alcohol ethoxylated (68439-50-9)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Must follow special treatment according to local regulation.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Discharging into rivers and drains is forbidden. Dispose in a safe manner in accordance with local/national regulations. The packaging has to be emptied completely.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 2922
UN-No. (IMDG)	: UN 2922
UN-No. (RID)	: UN 2922


14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (RID)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Transport document description (ADR) (ADR)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (phosphoric acid ; sulphuric acid ; hydrogen fluoride), 8 (6.1), II, (E)
Transport document description (IMDG)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II
Transport document description (RID)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR)	: 8 (6.1)
Danger labels (ADR)	: 8, 6.1




IMDG

Transport hazard class(es) (IMDG)	: 8 (6.1)
Danger labels (IMDG)	: 8, 6.1



RID

Transport hazard class(es) (RID)	: 8 (6.1)
Danger labels (RID)	: 8, 6.1



NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (RID)	: II


14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: CT1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Hazard identification number (Kemler No.)	: 86
Orange plates	:



Tunnel restriction code (ADR)	: E
-------------------------------	-----

Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.

Rail transport

Classification code (RID)	: CT1
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CW13, CW28
and handling (RID)
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 86

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	NERTA ATC 400 ; sulphuric acid ; hydrofluoric acid ; Fatty alcohol ethoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Fatty alcohol ethoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Hydrogen fluoride (7664-39-3).

Detergent Regulation (EC 648/2004)

Labelling of contents

Component	%
non-ionic surfactants	<5%

Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

National regulations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

sulphuric acid
phosphoric acid
hydrofluoric acid

SECTION 16: Other information

Indication of changes:

Modified.

Indication of changes		
Section	Changed item	Comments
1.1	UFI on SDS 1.1	Added
1.2	Use of the substance/mixture	Added
1.2	Main use category	Modified
2.1	Adverse physicochemical, human health and environmental effects	Modified
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.2	Precautionary statements (CLP)	Modified
2.2	Hazard statements (CLP)	Modified
3	Composition/information on ingredients	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures after inhalation	Modified
4.2	Symptoms/effects after ingestion	Modified

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
4.2	Symptoms/effects after inhalation	Modified
4.2	Symptoms/effects after skin contact	Modified
5.1	Unsuitable extinguishing media	Added
5.2	Fire hazard	Added
5.2	Explosion hazard	Added
5.3	Firefighting instructions	Added
6.1	Protective equipment	Added
6.1	Emergency procedures	Added
6.1	General measures	Added
6.3	For containment	Added
7.1	Additional hazards when processed	Added
7.1	Precautions for safe handling	Modified
7.2	Technical measures	Added
7.2	Packaging materials	Added
7.2	Storage conditions	Modified
8.2	Personal protective equipment	Modified
8.2	Respiratory protection	Modified
9	Relative density	Modified
11.1	ATE CLP (dust,mist)	Removed
11.1	ATE CLP (dermal)	Modified
11.1	ATE CLP (oral)	Modified
13.1	Additional information	Added
13.1	Product/Packaging disposal recommendations	Modified
15.1	REACH Annex XVII	Added
15.2	Chemical safety assessment	Modified
16	Abbreviations and acronyms	Modified

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Full text of use descriptors

ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
PC35	Washing and cleaning products
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC7	Industrial spraying
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities

NERTA ATC 400

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 3 (Oral)	H301	Calculation method
Acute Tox. 2 (Dermal)	H310	Calculation method
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	Annex VII conversion

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.