

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : NERTA POWER WASH
UFI : 5F1S-4DSW-400V-NT7W
Product code : ENT-143003
Type of product : Cleaning product,Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use,Professional use

Title	Life cycle stage	Use descriptors
	Industrial, Professional, Formulation	PC35, PROC7, PROC8a, PROC8b, PROC10, PROC11, ERC8a

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

ENTACO NV
Bouwstraat 20
B-9160 Lokeren
Belgique-België
T 32 9 340 60 60, F 32 9 340 60 61
info@nerta.com, www.nerta.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: tetrasodium ethylene diamine tetraacetate; sodium hydroxide

Hazard statements (CLP)

: H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP)

: P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a doctor, a POISON CENTER.
P332+P313 - If skin irritation occurs: Get medical advice/attention.

EUH-statements : EUH208 - Contains Cinnamic aldehyde(104-55-2). May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	tetrasodium ethylene diamine tetraacetate (64-02-8)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	tetrasodium ethylene diamine tetraacetate (64-02-8)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
COCAMIDOPROPYL BETAINE	CAS-No.: 147170-44-3 EC-No.: 931-333-8 REACH-no: 01-2119489410-39	5 – 10	Eye Dam. 1, H318 Aquatic Chronic 3, H412
tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27	1 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	1 – 5	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
benzaldehyde substance with a Community workplace exposure limit	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-44	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-45	< 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
COCAMIDOPROPYL BETAINE	CAS-No.: 147170-44-3 EC-No.: 931-333-8 REACH-no: 01-2119489410-39	(4 < C ≤ 10) Eye Irrit. 2; H319 (10 < C < 100) Eye Dam. 1; H318
sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤ C < 2) Eye Irrit. 2; H319 (0.5 ≤ C < 2) Skin Irrit. 2; H315 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C < 100) Skin Corr. 1A; H314
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-45	(0.01 ≤ C ≤ 100) Skin Sens. 1; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
---------------------------	---

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight. Keep out of direct sunlight.
Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

benzaldehyde (100-52-7)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	8.7 mg/m ³
----------	-----------------------

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzaldehyde (100-52-7)

IOEL STEL

17.4 mg/m³

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Protective clothing. Gloves. Face shield.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses. Use eye protection according to EN 166, designed to protect against liquid splashes. ISO 16321-1. Chemical goggles or face shield

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent). ISO 374-1

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In case of insufficient ventilation, wear suitable respiratory equipment. Suitable respiratory equipment : B" (EN 141)"

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: red.
Odour	: Fruity. Sweet.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 75 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: ≈ 11.3
pH solution concentration	: 1 %
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.09
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

COCAMIDOPROPYL BETAINE (147170-44-3)	
LD50 oral rat	2335 mg/kg
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
tetrasodium ethylene diamine tetraacetate (64-02-8)	
LD50 oral	1780 mg/kg bodyweight
LC50 Inhalation - Rat	1000 – 5000 mg/m³
sodium hydroxide (1310-73-2)	
LD50 oral rat	> 191 mg/kg
LD50 dermal rabbit	1350 mg/kg
benzaldehyde (100-52-7)	
LD50 oral rat	≈ 1430 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1,33 - 1,54

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzaldehyde (100-52-7)	
LD50 oral	1292 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LD50 dermal	> 1250 mg/kg bodyweight
LC50 Inhalation - Rat	1 – 5 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg bodyweight Animal: rat, Guideline: other., 95% CL: 1910 - 2600
LD50 oral	2220 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	1260 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	1260 mg/kg bodyweight
LC50 Inhalation - Rat [ppm]	68.88871 ppm Animal: rat, Guideline: other:
Skin corrosion/irritation	: Causes skin irritation. pH: ≈ 11.3
COCAMIDOPROPYL BETAINE (147170-44-3)	
pH	≈ 5
Cinnamic aldehyde (104-55-2)	
pH	5.22 Temp.: 24 °C Concentration: 1 vol%
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 11.3
COCAMIDOPROPYL BETAINE (147170-44-3)	
pH	≈ 5
Cinnamic aldehyde (104-55-2)	
pH	5.22 Temp.: 24 °C Concentration: 1 vol%
Respiratory or skin sensitisation	: Skin sensitization: Not classified.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
benzaldehyde (100-52-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
tetrasodium ethylene diamine tetraacetate (64-02-8)	
LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	6 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzaldehyde (100-52-7)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: other:rat and mouse
Cinnamic aldehyde (104-55-2)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
COCAMIDOPROPYL BETAINE (147170-44-3)	
Viscosity, kinematic	Not applicable
sodium hydroxide (1310-73-2)	
Viscosity, kinematic	Not applicable
benzaldehyde (100-52-7)	
Viscosity, kinematic	1.258 mm²/s
Cinnamic aldehyde (104-55-2)	
Viscosity, kinematic	13.591 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

COCAMIDOPROPYL BETAINE (147170-44-3)	
LC50 - Fish [1]	1.11 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	49.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	6.5 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	124 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	21.5 mg/l waterflea
EC50 - Other aquatic organisms [2]	30 mg/l
ErC50 algae	2.4 mg/l
NOEC (chronic)	0.135 mg/l
tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 - Fish [1]	> 121 mg/l
EC50 - Crustacea [1]	> 114 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	625 mg/l waterflea
EC50 - Other aquatic organisms [2]	2.77 mg/l
EC50 72h - Algae [1]	> 60 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

tetrasodium ethylene diamine tetraacetate (64-02-8)	
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Duration: '35 d'
NOEC chronic crustacea	25 mg/l

sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

benzaldehyde (100-52-7)	
LC50 - Fish [1]	1.07 mg/l
EC50 - Crustacea [1]	19.7 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	23.7 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	33.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	8.05 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC chronic fish	0.12 mg/l Test organisms (species): Pimephales promelas Duration: '7 d'

Cinnamic aldehyde (104-55-2)	
LC50 - Fish [1]	4.3 mg/l
EC50 - Crustacea [1]	119.5578 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	3.86 mg/l waterflea
EC50 - Other aquatic organisms [2]	6.87 mg/l
NOEC chronic fish	15.159 mg/l Test organisms (species): other: Duration: '28 d'

12.2. Persistence and degradability

NERTA POWER WASH	
Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Contained surfactants are over 90 % biodegradable. Product is biodegradable.

COCAMIDOPROPYL BETAINE (147170-44-3)	
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer, Product is biodegradable, Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer, Contained surfactants are over 90 % biodegradable.

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

COCAMIDOPROPYL BETAINE (147170-44-3)

Biodegradation	91.6 % OECD 301 B
----------------	-------------------

tetrasodium ethylene diamine tetraacetate (64-02-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

sodium hydroxide (1310-73-2)

Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer, Contained surfactants are over 90 % biodegradable, Product is biodegradable.
-------------------------------	---

benzaldehyde (100-52-7)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Cinnamic aldehyde (104-55-2)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

COCAMIDOPROPYL BETAINE (147170-44-3)

Partition coefficient n-octanol/water (Log Pow)	≈ 4.2
---	-------

tetrasodium ethylene diamine tetraacetate (64-02-8)

Partition coefficient n-octanol/water (Log Pow)	-0.43
---	-------

sodium hydroxide (1310-73-2)

Partition coefficient n-octanol/water (Log Pow)	-3.88
---	-------

benzaldehyde (100-52-7)

Partition coefficient n-octanol/water (Log Pow)	1.48
---	------

Cinnamic aldehyde (104-55-2)

Partition coefficient n-octanol/water (Log Pow)	1.9
---	-----

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

NERTA POWER WASH

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	tetrasodium ethylene diamine tetraacetate (64-02-8)
--	---

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	tetrasodium ethylene diamine tetraacetate (64-02-8)
---	---

12.6. Endocrine disrupting properties

No additional information available

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Must follow special treatment according to local regulation.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Discharging into rivers and drains is forbidden. Dispose in a safe manner in accordance with local/national regulations. The packaging has to be emptied completely.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	NERTA POWER WASH ; benzaldehyde ; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	benzaldehyde ; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
amphoteric surfactants	5-15%
EDTA and salts thereof, non-ionic surfactants, anionic surfactants	<5%
perfumes	
CINNAMAL	

Fragrance allergens > 0.01%:

CINNAMAL

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out by the registrant

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

For the following substances of this mixture a chemical safety assessment has been carried out:

COCAMIDOPROPYL BETAINE

tetrasodium ethylene diamine tetraacetate

sodium hydroxide

SECTION 16: Other information

Indication of changes:

Modified.

Indication of changes		
Section	Changed item	Comments
1.1	UFI on SDS 1.1	Added
1.1	Name	Modified
1.2	Main use category	Added
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.2	EUH-statements	Added
3	Composition/information on ingredients	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures general	Added
4.2	Symptoms/effects after ingestion	Added
4.2	Symptoms/effects after inhalation	Added
5.1	Unsuitable extinguishing media	Added
5.2	Fire hazard	Added
5.2	Explosion hazard	Added
5.3	Firefighting instructions	Added
6.1	General measures	Added
6.1	Protective equipment	Added
6.1	Emergency procedures	Added
6.3	For containment	Added
7.1	Additional hazards when processed	Added
7.2	Packaging materials	Added
7.2	Technical measures	Added
7.2	Storage conditions	Modified
8.2	Respiratory protection	Modified
8.2	Personal protective equipment	Modified
9	pH	Modified
9	Concentration of the solution used for the pH measurement	Added
13.1	Additional information	Added
13.1	Product/Packaging disposal recommendations	Modified
15.2	Chemical safety assessment	Modified

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
16	Abbreviations and acronyms	Modified

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

NERTA POWER WASH

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Cinnamic aldehyde(104-55-2). May produce an allergic reaction.

Full text of use descriptors

ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
PC35	Washing and cleaning products
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC7	Industrial spraying
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.